

Reference = ABLIKIM 15AB; PRL 115 222002
 Verifier code = BES3

Normally we send all verifications for one experiment to one person, usually the spokesperson or data-analysis coordinator, who then distributes them to the appropriate people. Please tell us if we should send the verifications for your experiment to someone else.

PLEASE READ NOW

**PLEASE
REPLY
WITHIN
ONE WEEK**

Xiao-Rui Lyu

EMAIL: xiaorui@ucas.ac.cn

July 21, 2016

Dear Colleague,

- (1) Please check the results of your experiment carefully. They are marked.
- (2) Please reply within one week.
- (3) Please reply even if everything is correct.
- (4) IMPORTANT!! Please tell WHICH papers you are verifying. We have lots of requests out.
- (5) Feel free to make comments on our treatment of any of the results (not just yours) you see.

Thank you for helping us make the Review accurate and useful.

Sincerely,

Simon Eidelman
 BINP, Budker Inst. of Nuclear Physics
 Prospekt Lavrent'eva 11
 RU-630090 Novosibirsk
 Russian Federation

EMAIL: simon.eidelman@cern.ch

$c\bar{c}$ MESONS

X(3900)

$$\mathcal{I}^G(J^{PC}) = 1^+(1^{+-})$$

Charged X(3900) seen as a peak in the invariant mass distribution of the $J/\psi\pi^\pm$ system by BES III (ABLIKIM 13T) in $e^+e^- \rightarrow \pi^+\pi^-J/\psi$ at c.m. energy of 4.26 GeV and by radiative return from e^+e^- collisions at \sqrt{s} from 9.46 to 10.86 GeV at Belle (LIU 13B). Angular analysis of ABLIKIM 14A and ABLIKIM 15AC favor the $J^P = 1^+$ assignment. Neutral X(3900) seen in the $J/\psi\pi^0$ invariant mass distribution in $e^+e^- \rightarrow \pi^0\pi^0J/\psi$ at c.m. energies of 4.23, 4.26, and 4.36 GeV by BES III (ABLIKIM 15U) and at 4.17 GeV by XIAO 13A. Peaks in $(D\bar{D}^*)^{0,\pm}$ reported by BES III (ABLIKIM 14A, ABLIKIM 15AB) are assumed to be related.

X(3900) MASS

	<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>	
	3886.6±2.4 OUR AVERAGE					Error includes scale factor of 1.6. See the ideogram below.	
YOUR DATA	3885.7 ^{+4.3} _{-5.7} ± 8.4		1 ABLIKIM	15AB BES3	0	$e^+e^- \rightarrow \pi^0(D\bar{D}^*)^0$	
	3881.7±1.6±1.6	1248	1 ABLIKIM	15AC BES3	±	$e^+e^- \rightarrow \pi^\pm(D\bar{D}^*)^\mp$	
	3894.8±2.3±3.2	356	1 ABLIKIM	15U BES3	0	$e^+e^- \rightarrow \pi^0\pi^0J/\psi$	
	3883.9±1.5±4.2	1212	1 ABLIKIM	14A BES3	±	$e^+e^- \rightarrow \pi^\pm(D\bar{D}^*)^\mp$	
	3899.0±3.6±4.9	307	1 ABLIKIM	13T BES3	±	$e^+e^- \rightarrow \pi^+\pi^-J/\psi$	
	3894.5±6.6±4.5	159	1 LIU	13B BELL	±	$e^+e^- \rightarrow \gamma\pi^+\pi^-J/\psi$	
	3886 ± 4 ± 2	81	1,2 XIAO	13A	±	4.17 $e^+e^- \rightarrow \pi^+\pi^-J/\psi$	
	3904 ± 9 ± 5	25	1,2 XIAO	13A	0	4.17 $e^+e^- \rightarrow \pi^0\pi^0J/\psi$	

YOUR NOTE ¹Neglecting interference between the X(3900) and non-resonant continuum.

²For $M^2(\pi^+\pi^-) < 0.65$ GeV². Obtained by analyzing CLEO-c data but not authored by the CLEO Collaboration.

NODE=MXXX025

NODE=M210

NODE=M210

NODE=M210M

NODE=M210M

OCCUR=2

NODE=M210M;LINKAGE=A
NODE=M210M;LINKAGE=B

NODE=M210W

NODE=M210W

	<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>	
	28.1± 2.6 OUR AVERAGE						
YOUR DATA	35 ⁺¹¹ ₋₁₂ ± 15		1 ABLIKIM	15AB BES3	0	$e^+e^- \rightarrow \pi^0(D\bar{D}^*)^0$	
	26.6± 2.0± 2.1	1248	1 ABLIKIM	15AC BES3	±	$e^+e^- \rightarrow \pi^\pm(D\bar{D}^*)^\mp$	
	29.6± 8.2± 8.2	356	1 ABLIKIM	15U BES3	0	$e^+e^- \rightarrow \pi^0\pi^0J/\psi$	
	24.8± 3.3±11.0	1212	1 ABLIKIM	14A BES3	±	$e^+e^- \rightarrow \pi^\pm(D\bar{D}^*)^\mp$	
	46 ± 10 ± 20	307	1 ABLIKIM	13T BES3	±	$e^+e^- \rightarrow \pi^+\pi^-J/\psi$	
	63 ± 24 ± 26	159	1 LIU	13B BELL	±	$e^+e^- \rightarrow \gamma\pi^+\pi^-J/\psi$	
	37 ± 4 ± 8	81	1,2 XIAO	13A	±	4.17 $e^+e^- \rightarrow \pi^+\pi^-J/\psi$	

YOUR NOTE ¹Neglecting interference between the X(3900) and non-resonant continuum.

²For $M^2(\pi^+\pi^-) < 0.65$ GeV². Obtained by analyzing CLEO-c data but not authored by the CLEO Collaboration.

NODE=M210W;LINKAGE=A
NODE=M210W;LINKAGE=B

X(3900) BRANCHING RATIOS

	<u>$\Gamma(D^+D^{*-} + c.c)/\Gamma_{total}$</u>		<u>Γ_8/Γ</u>			
	<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>	
YOUR DATA	seen	ABLIKIM	15AB BES3	0	$e^+e^- \rightarrow \pi^0(D\bar{D}^*)^0$	
	<u>$\Gamma(D^0\bar{D}^{*0} + c.c)/\Gamma_{total}$</u>		<u>Γ_9/Γ</u>			
YOUR DATA	seen	ABLIKIM	15AB BES3	0	$e^+e^- \rightarrow \pi^0(D\bar{D}^*)^0$	

NODE=M210225

NODE=M210R06
NODE=M210R06NODE=M210R07
NODE=M210R07

$\Gamma(D^+ D^{*-} + c.c.)/\Gamma(D^0 \bar{D}^{*0} + c.c.)$				Γ_8/Γ_9	
YOUR DATA	VALUE	DOCUMENT ID	TECN	CHG	COMMENT
	0.96±0.18±0.12	ABLIKIM	15AB BES3	0	$e^+ e^- \rightarrow \pi^0 (D \bar{D}^*)^0$

NODE=M210R08
NODE=M210R08

NODE=M210

X(3900) REFERENCES

YOUR PAPER	ABLIKIM	15AB	PRL 115 222002	M. Ablikim <i>et al.</i>	(BES III Collab.)	REFID=56954
	ABLIKIM	15AC	PR D92 092006	M. Ablikim <i>et al.</i>	(BES III Collab.) JP	REFID=56967
	ABLIKIM	15U	PRL 115 112003	M. Ablikim <i>et al.</i>	(BES III Collab.)	REFID=56786
	ABLIKIM	14A	PRL 112 022001	M. Ablikim <i>et al.</i>	(BES III Collab.) JP	REFID=55648
	ABLIKIM	13T	PRL 110 252001	M. Ablikim <i>et al.</i>	(BES III Collab.)	REFID=55409
	LIU	13B	PRL 110 252002	Z.Q. Liu <i>et al.</i>	(BELLE Collab.)	REFID=55410
	XIAO	13A	PL B727 366	T. Xiao <i>et al.</i>	(NWES)	REFID=55593